

# Keyword Index

The following list of keywords refers to articles that have appeared in Issues 1–20 of the *Journal of Pyrotechnics*. The numbers are paired. The first number is the Issue Number. The second number is the page number where the article begins. For example, 10-17 means Issue 10, page 17. See the list of Tables of Contents for article titles and beginning page. We hope that you find this list useful. For full abstracts, refer to the JPyro Web Site: <http://www.jpYRO.com>. Also see list of authors.

Most entries have words in their common usage form (e.g., Black Powder not powder, black) or as related to a major topic (e.g., rocket motor) with some exceptions. We have incorporated many cross references to assist in finding topics of interest.

2-nitrodiphenylamine ..... 11-25	antimony ..... 9-29, 15-25	blast pressure
3-azidomethyl-3-methyloxetane (AMMO) ..... 11-25	oxide ..... 9-29, 15-25	attenuation ..... 5-61
3,6-dihydrazino-s-tetrazine ..... 10-17	sulfide ..... 9-29, 15-25	, concussion mortar ..... 1-26
5,5'-bis-1H-tetrazole ..... 10-17	AP (see ammonium perchlorate)	measurement ..... 5-60, 12-16, 15-1
----- <b>A</b> -----	ARC (see accelerating rate calorimetry)	, salute ..... 4-5, 4-25
absorption spectroscopy	arsenic ..... 9-29, 15-25	bonding agent ..... 11-25
(see spectroscopy, absorption)	content ..... 11-11	bonds, chemical (see chemical bonds)
acaroid resin ..... 9-1, 16-76	oxide ..... 9-29, 15-25	book reviews (see review of)
accelerating rate calorimetry (ARC)	sulfide ..... 9-29, 15-25	bore balloting ..... 13-31, 14-72
..... 14-15, 18-23, 18-53	artificial meteor fireworks ..... 7-26	Bormann fuse ..... 9-51
accidental ignition ..... 2-22, 6-30	atomic orbitals, linear combination of	boron ..... 9-29, 15-25
accidents ..... 6-30, 14-1, 16-27, 19-43	..... 19-32	oxide ..... 9-29, 15-25
accroides gum ..... 9-1, 16-76	----- <b>B</b> -----	bridgewire ..... 14-68
acoustics ..... 17-19	bag, air (see air bag)	temperature ..... 14-68
activation energy ..... 1-19, 6-17	ballistic	bullet sensitiveness (see sensitiveness,
additive, high energy ..... 11-25	missile (ICBM) ..... 7-26	bullet)
ADN (see ammonium dinitramide)	modeling ..... 16-37	burn injury ..... 6-1
aerial fireworks shell (see fireworks	balloting, bore (see bore balloting)	burn rate catalyst (see catalyst, burn rate)
shell)	BAMMO (see bis-azide methyloxetane)	burst diameter, perceived (see fireworks
agent	bandwidth ..... 19-61	shell burst diameter perceived)
, bonding (see bonding agent)	banger (see firecracker)	----- <b>C</b> -----
, color (see color agent)	barium ..... 9-29, 15-25	cadmium content ..... 11-11
, crosslinking (see crosslinking agent)	carbonate ..... 9-29, 15-25	calcium ..... 9-29, 15-25
, flow (see flow agent)	chlorate ..... 9-29, 15-25	carbonate ..... 9-29, 15-25
air	chloride ..... 9-29, 15-25	chromate ..... 13-61
bag ..... 4-15, 5-11	monochloride ..... 18-1, 19-1	monochloride ..... 18-1, 19-1
blast ..... 1-26, 4-5, 5-33, 12-16,	monohydroxide ..... 18-1	monohydroxide ..... 18-1
..... 15-1, 17-53	nitrate ..... 9-29, 15-25	oxide ..... 9-29, 15-25
pollution ..... 3-14, 11-11	oxide ..... 9-29, 15-25	sulfate ..... 9-29, 15-25
all-fire current (see current, all-fire)	peroxide ..... 9-29, 15-25	carbon ..... 9-29, 15-25
aluminum ..... 9-29, 11-25, 15-25, 20-23	sulfate ..... 9-29, 15-25	black ..... 5-8, 11-25
carbide ..... 9-29, 15-25	sulfide ..... 9-29, 15-25	dioxide ..... 9-29, 15-25
, nano- ..... 19-19	Benson group ..... 6-43, 8-1, 9-1, 10-7	monoxide ..... 9-29, 15-25
oxide ..... 5-8, 9-29, 15-25	binder ..... 11-25, 11-65, 19-53	/ titanium ..... 10-45
sulfide ..... 9-29, 15-25	, epoxy ..... 7-33	carboxy-methyl cellulose (see cellulose,
aminoanthraquinone ..... 18-23	, silicone ..... 8-31	carboxy-methyl)
AMMO (see 3-azidomethyl-3-	bis-(1(2)H-tetrazol-5-yl)-amine .. 10-17	Carmel accident ..... 19-43
methyloxetane)	bis-azide methyloxetane (BAMMO)	carboxy-terminated polybutadiene
ammonia ..... 9-29, 15-25	..... 11-25	(CTPB) (see polybutadiene,
ammonium ..... 9-29	bitumen ..... 9-1	carboxy-terminated)
chloride ..... 9-29, 15-25	Black Powder ..... 11-53, 13-9, 14-27,	catalyst, burn rate ..... 11-25
dichromate ..... 13-61	..... 16-37	cellulose ..... 8-1
dinitramide (ADN) ..... 11-25	chemistry ..... 14-27	, carboxymethyl ..... 8-1
nitrate (AN) ..... 9-29, 11-25, 15-25	, Civil War vintage ..... 9-51	, hydroxyethyl ..... 8-1
perchlorate (AP) ..... 3-35, 8-19, 9-29	performance ..... 10-49	nitrate ..... 8-1
..... 11-25, 15-25	residues ..... 12-1	chain fusing (see fusing, chain)
AN (see ammonium nitrate)	rocket motor (see rocket motor,	chamber pressure (see rocket motor
anthracene ..... 9-1	Black Powder)	chamber pressure)
	blast, air (see air blast)	

charcoal ..... 9-1  
 types ..... 10-49  
 charge, shaped (see shaped charge)  
 chemical  
 analysis  
 , consumer fireworks ..... 11-11  
 , qualitative ..... 5-25  
 bonds ..... 2-15  
 combinations, hazardous ..... 2-22  
 energetics ..... 1-19  
 equation ..... 1-19  
 equilibrium ..... 1-11, 16-5  
 , thermo- (see thermochemical equilibrium)  
 formula ..... 1-19, 7-11  
 formulating ..... 7-15, 7-74  
 incompatibility ..... 2-22  
 nomenclature ..... 1-19  
 oxidation ..... 2-15, 7-15  
 periodic table ..... 2-15  
 reactivity ..... 6-30  
 reduction ..... 2-15, 7-15  
 stability ..... 13-54  
 toxicity (see toxicity)  
 chemistry  
 , Black Powder (see Black Powder chemistry)  
 , glitter (see glitter chemistry)  
 , propellant (see rocket propellant chemistry)  
 , thermo- (see thermochemistry)  
 chlorate / sulfur ..... 5-25, 6-30, 7-51,  
 ..... 11-16, 11-72, 12-43, 18-53  
 chlorine ..... 9-29, 15-25  
 , atomic ..... 9-29, 15-25  
 chromaticity ..... 7-11, 8-19, 17-1  
 chromic acid ..... 13-61  
 chromium  
 toxicity (see toxicity, chromium)  
 trioxide ..... 13-61  
 circuit resistance ..... 20-17  
 CL-20 (see hexanitrohexaaza  
 tetracyclododecane)  
 classification, UN hazard (see UN  
 hazard classification)  
 color  
 agent ..... 13-1  
 , rare earth ..... 9-57  
 coordinate ..... 17-1, 18-1  
 , flame (see flame color)  
 purity ..... 17-1, 18-1  
 colored  
 flame (see flame, colored)  
 glitter (see glitter, colored)  
 spark (see spark, colored)  
 star (see star, colored)  
 combustion  
 diagnostics ..... 13-35, 16-71  
 , enthalpy of (see enthalpy of  
 combustion)  
 , oscillating ..... 17-19  
 suppressant ..... 11-25  
 composite rocket motor (see rocket  
 motor, composite)

composite rocket propellant (see rocket  
 propellant, composite)  
 composite star (see star, composite)  
 composition, high nitrogen (see high  
 nitrogen composition)  
 computer  
 code (see NASA Lewis code;  
 PROPEP)  
 fired whistle music (see whistle,  
 pyrotechnic, music production)  
 formulating (see chemical  
 formulating)  
 mortar fragment, modeling  
 (see mortar fragment,  
 computer modeling)  
 concussion  
 mortar  
 blast pressure (see blast  
 pressure, concussion mortar)  
 internal pressure ..... 1-26, 5-33  
 recoil force ..... 1-26  
 sound pressure (see sound  
 pressure, concussion mortar)  
 powder ..... 1-26, 5-33  
 consumer fireworks  
 chemical analysis (see chemical  
 analysis, consumer fireworks)  
 stand  
 hazard ..... 16-13  
 set back distance ..... 16-13  
 test burn ..... 16-13  
 cook-off test ..... 6-17  
 copper ..... 9-29, 15-25  
 carbonate, basic ..... 9-29, 15-25  
 (I) chloride ..... 9-29, 15-25  
 (II) chloride ..... 9-29, 15-25  
 monochloride ..... 18-1  
 monohydroxide ..... 18-1  
 (I) oxide ..... 9-29, 15-25  
 (II) oxide ..... 9-29, 15-25  
 salicylate ..... 11-25  
 stearate ..... 11-25  
 cracker (see firecracker)  
 crosslinking agent  
 , curing ..... 11-25  
 CTPB (see polybutadiene carboxy-  
 terminated)  
 curing crosslinking agent  
 (see crosslinking agent, curing)  
 current  
 , all-fire ..... 19-66  
 , no-fire ..... 19-66  
 cyclotetramethylene tetranitramine  
 (HMX) ..... 11-25  
 cyclotrimethylene trinitramine  
 (RDX) ..... 11-25  
 ————— **D** —————  
 data filtering ..... 14-40  
 DBP (see dibutylphthalate)  
 DEGDN (see dinitrate  
 diethyleneglycol)  
 delay  
 , gasless ..... 13-9  
 , gassy ..... 13-9  
 , glitter (see glitter delay)

dense pack mortar rack  
 (see mortar rack, dense pack)  
 DEP (see diethylphthalate)  
 design, experiment (see experiment  
 design)  
 detonability testing (see testing,  
 detonability)  
 di-  
 butylphthalate (DBP) ..... 11-25  
 ethyleneglycol dinitrate (DEGDN)  
 ..... 11-25  
 ethylphthalate (DEP) ..... 11-25  
 hydrazino tetrazine ..... 7-11  
 isocyanate ..... 6-43  
 nitrotoluene (DNT) ..... 11-25  
 octyl adipate (DOA) ..... 11-25  
 octylphthalate (DOP) ..... 11-25  
 phenylamine (DPA) ..... 11-25  
 saccharide ..... 8-1  
 differential scanning calorimetry (DSC)  
 ..... 14-15, 18-23, 18-53  
 differential thermal analysis (DTA)  
 ..... 14-15, 18-23  
 digital filtering ..... 14-40  
 dissociation energy, metal hydroxide  
 (see metal hydroxide dissociation  
 energy)  
 distance  
 , safety (see safety distance)  
 , viewing (see viewing distance,  
 effect of)  
 DNT (see dinitrotoluene)  
 DOA (see dioctyl adipate)  
 DOP (see dioctylphthalate)  
 DPA (see diphenylamine)  
 DSC (see differential scanning  
 calorimetry)  
 DTA (see differential thermal analysis)  
 dust explosion ..... 4-25  
 dye, smoke (see smoke dye)  
 ————— **E** —————  
 EC (see ethyl centralite)  
 EDS (see energy dispersive  
 spectroscopy)  
 EED (see electro-explosive device)  
 effect  
 Munroe (see Monroe effect)  
 , special (see special effect)  
 electric match ..... 2-1, 14-68, 15-43,  
 ..... 17-65, 19-66  
 sensitiveness ..... 15-43  
 electrical firing ..... 20-17  
 electro-  
 explosive device  
 (also see electric match) .. 19-61  
 magnetic compatibility test ... 19-61  
 electron transitions .. 13-1, 15-9, 19-32  
 static discharge (ESD)  
 sensitiveness testing  
 (see sensitiveness testing,  
 electrostatic discharge)  
 test equipment ..... 3-1  
 ematch (see electric match)  
 EMC test (see electro-magnetic  
 compatibility test)

encapsulation, micro ..... 13-54  
energetics, chemical (see chemical energetics)  
energy  
, activation (see activation energy)  
, additive (see additive, high energy)  
dispersive spectroscopy ..... 13-40  
, dissociation, metal hydroxide (see metal hydroxide dissociation energy)  
distribution, thermal (see thermal energy distribution)  
, free (see free energy)  
, heat (see heat energy)  
enthalpy ..... 9-29  
of combustion ..... 10-7  
of formation... 6-43, 8-1, 9-1, 9-29, ..... 10-7, 15-25  
of reaction. 1-19, 1-37, 6-17, 18-63  
entropy ..... 12-31  
environmental hazard (see hazard, environmental)  
epoxy binder (see binder, epoxy)  
equation, chemical (see chemical equation)  
equilibrium, chemical (see chemical equilibrium)  
ESD (see electrostatic discharge)  
ethyl centralite (EC) ..... 11-25  
exhaust plume (see rocket plume exhaust)  
expansion ratio (see rocket motor nozzle expansion ratio)  
experiment design ..... 14-40  
explosion  
, dust (see dust explosion)  
, fuel (see fuel explosion)  
hazard (see hazard, explosion)  
, in mortar ..... 14-56  
investigation..... 12-16, 19-43  
, mortar (see mortar explosion)  
test ..... 20-55  
explosive  
decomposition..... 14-65  
, high..... 19-14  
storage..... 14-1, 18-43  
, control systems for..... 18-43  
extrusion..... 12-52  
**F**  
ferric oxide ..... 11-25  
, hydrated ..... 11-25  
filtering  
, data (see data filtering)  
, digital (see digital filtering)  
, noise (see noise filtering)  
finale rack (see mortar rack, finale)  
firecracker (also see salute)  
..... 15-1, 16-1  
fireworks (also see fireworks shell)  
, artificial meteor (see artificial meteor fireworks)  
, consumer (see consumer fireworks)

fireworks (continued)  
stand (see consumer fireworks stand)  
hazard (see consumer fireworks stand hazard)  
test burn (see consumer fireworks stand test burn)  
storage ..... 14-1, 18-43  
, control systems for ..... 18-43  
test burn (see test burn, fireworks storage)  
toxic content  
, arsenic (see arsenic content)  
, cadmium (see cadmium content)  
, lead (see lead content)  
, mercury (see mercury content)  
fireworks shell ..... 20-55  
acceleration, peak ..... 10-56  
ballistics  
external ..... 16-37, 17-35  
internal..... 11-56, 16-37, 17-35  
burst  
diameter ..... 1-1, 3-22, 10-56,  
height..... 1-1, 11-70  
detonation.. 2-6, 10-1, 14-45, 14-56  
drag ..... 16-37  
drift..... 3-30, 13-31, 14-72, 16-37,  
..... 17-35  
, effect of shape on..... 3-30  
explosion ..... 10-1, 14-15, 14-56  
internal pressure ..... 10-1  
malfunction ..... 14-56, 17-35  
mass..... 1-1  
mortar clearance..... 13-31  
muzzle velocity (see muzzle velocity)  
output testing (see testing output)  
viewing distance (see viewing distance, effect of)  
flame  
, colored..... 2-15, 7-11, 7-37, 8-19  
..... 9-57, 10-17, 13-1, 15-9,  
..... 17-1, 18-1, 19-32  
, low smoke..... 7-11, 10-17  
emitter  
..... 13-1, 15-9, 18-1, 19-1, 19-32  
, red ..... 13-1  
spectra ..... 7-37, 17-1, 18-1, 19-1  
temperature..... 1-37, 6-43, 10-7  
flare, strobe (see strobe flare)  
flash  
-over ..... 16-13  
photo- ..... 19-53  
, low smoke..... 9-68  
powder... 1-26, 2-36, 4-5, 15-1, 16-1  
size, glitter (see glitter flash size)  
sound pressure  
(see sound pressure, flash)  
flow agent ..... 5-8  
flowerpot ..... 14-56  
fog, theatrical (see proximate pyrotechnics fog)  
forensics ..... 11-46, 11-53, 12-5, 13-40  
formulating, chemical (see chemical formulating)  
fragment, mortar (see mortar fragment)

Frank-Kamenetskii model ..... 18-53  
free energy ..... 12-31  
minimization... 7-74, 8-1, 9-1, 10-7  
friction sensitiveness (see sensitiveness, friction)  
fuel  
-air salute (see salute, fuel-air)  
explosion..... 19-14  
, metal ..... 11-25, 11-46  
, organic ..... 8-1, 9-1  
, silicone..... 8-31  
, whistle (see whistle fuel)  
, whistle rocket (see whistle rocket fuel)  
fuse  
, Bormann (see Bormann fuse)  
failure..... 17-35  
fusing, chain..... 2-6  
**G**  
gallic acid..... 9-1  
GAP (see glycidylazido polymer)  
gas generant ..... 4-15, 5-11  
gassless delay (see delay, gassless)  
gassy delay (see delay, gassy)  
GAT (see guanidinium azo-tetrazolate)  
gauge, strain (see strain gauge)  
gilsonite..... 9-1  
glitter ..... 7-68  
chemistry ..... 8-53  
, colored ..... 9-57  
delay ..... 7-68  
flash size ..... 7-68  
theory ..... 8-53  
glycidylazido polymer (GAP).... 11-25  
Goldschmidt reaction ..... 13-9  
grain geometry (see rocket motor grain geometry)  
graphite ..... 15-25  
ground shock ..... 12-16  
group, Benson (see Benson group)  
GSR (see gunshot residue)  
guanidinium azo-tetrazolate (GAT)  
..... 19-37  
guar gum ..... 8-1  
gum  
accroides (see accroides gum)  
arabic ..... 8-1  
, guar (see guar gum)  
tragacanth ..... 8-1  
gunshot residue (GSR)..... 12-1, 13-40  
GZT (see ganidinium azo-tetrazolate)  
**H**  
halo-polyester..... 11-65  
hand damage (see injury, hand)  
hazard  
analysis ..... 4-15, 5-11, 14-15, 18-23  
classification, UN (see UN hazard classification)  
, consumer fireworks stand (see consumer fireworks stand hazard)  
, environmental ..... 11-11  
, exploding fireworks ..... 15-1, 16-1  
, explosion ..... 14-1, 16-59  
, fire ..... 14-1

hazard (continued)  
 , fireworks storage..... 14-1, 16-59  
 management ..... 18-32  
 mitigation (see mortar fragment hazard mitigation)  
 of electromagnetic radiation to ordinance test (HERO) .... 19-61  
 , thermal ..... 6-1, 14-15  
 hazardous chemical combinations (see chemical combination, hazardous)  
 health effect (see toxicity, threshold limit value, and sound pressure)  
 , stage pyrotechnics (see proximate pyrotechnics health effects)  
 heat  
 capacity ..... 1-37  
 energy ..... 9-29  
 flux ..... 16-13  
 calorimetry ..... 14-15  
 heat of (see enthalpy of)  
 heating value ..... 8-1, 9-1, 10-7  
 height-to-detonation ..... 20-55  
 HERO (see hazard of electromagnetic radiation to ordinance test)  
 hexa-  
 chlorobenzene ..... 9-1  
 methylene  
 diisocyanate (HMD) ..... 11-25  
 tetraamine ..... 9-1  
 nitrohexaazatetracyclododecane (CL-20) ..... 11-25  
 hexamine (see hexa-methylene tetraamine)  
 HFC (see heat flux calorimetry)  
 high  
 energy additive (see additive, high energy)  
 explosive (see explosive, high)  
 nitrogen compositions . 7-11, 10-17  
 HMD (see hexamethylene diisocyanate)  
 HMX (see cyclotetramethylene tetranitramine)  
 HNF (see hydrazinium nitroformate)  
 hoop stress ..... 20-71  
 hot liquid model ..... 4-1  
 HTPB (see polybutadiene, hydroxyl-terminated)  
 hybrid  
 rocket motor (see rocket motor, hybrid)  
 hydrated ferric oxide (see ferric oxide, hydrated)  
 hydrazinium nitroformate (HFN) ..... 6-36, 11-25  
 hydrogen ..... 9-29, 15-25  
 chloride ..... 9-29, 15-25  
 sulfide ..... 9-29, 15-25  
 water ..... 9-29  
 hydroxyethyl cellulose (see cellulose, hydroxyethyl)  
 hydroxyl-terminated polybutadiene (HTBP) (see polybutadiene, hydroxyl-terminated)

————— I —————

ICBM (see ballistic missile)  
 IDP (see isodecyl pelargonate)  
 igniter  
 , semiconductor bridge (SCB) (see semiconductor bridge igniter)  
 ignition  
 , accidental (see accidental ignition)  
 , spontaneous (see spontaneous ignition)  
 temperature ..... 6-17, 7-51, 11-16, 11-72, 12-43, 18-63  
 theory ..... 6-17  
 illuminant ..... 19-53  
 impulse  
 pressure ..... 10-1  
 , specific (see specific impulse)  
 incendiary composition ..... 13-9  
 incompatibility, chemical (see chemical incompatibility)  
 injury  
 , burn (see burn injury)  
 , hand ..... 16-1  
 instability  
 , suppressant (see suppressant instability)  
 internal pressure  
 , concussion mortar (see concussion mortar internal pressure)  
 , fireworks shell (see fireworks shell internal pressure)  
 IPDI (see isophorone diisocyanate)  
 iron ..... 9-29, 15-25  
 filings ..... 20-23  
 (III) oxide ..... 9-29, 15-25  
 (II,III) oxide ..... 9-29, 15-25  
 ISO container ..... 14-1 (also see test burn, ISO container)  
 isocyanate ..... 6-43  
 isodecyl pelargonate (IDP) ..... 11-25  
 isophorone diisocyanate (IPDI) .. 11-25  
 ————— L —————  
 lactose ..... 8-1  
 LCAO (see atomic orbitals, linear combination)  
 lead ..... 9-29, 15-25  
 chromate ..... 13-61  
 content ..... 11-11  
 (II) ethylhexanoate ..... 11-25  
 free ..... 17-65  
 (II) oxide ..... 15-25  
 (IV) oxide ..... 9-29, 15-25  
 (II,IV) oxide ..... 9-29, 15-25  
 salicylate ..... 11-25  
 stearate ..... 11-25  
 lift charge (see lift powder)  
 lift powder ..... 10-49  
 mass ..... 1-1  
 lignin ..... 8-1  
 linear combination of atomic orbital (see atomic orbitals, linear combination of)  
 lithium ..... 13-1  
 fluoride ..... 11-25

low smoke  
 color flame (see flame, colored, low smoke)  
 photoflash (see flash, photo-, low smoke)  
 pyrotechnics (see pyrotechnics, low smoke)  
 ————— M —————  
 magnalium ..... 11-25, 15-25  
 magnesium 9-29, 15-25, 19-53, 20-23  
 carbonate ..... 9-29, 15-25  
 chloride ..... 9-29, 15-25  
 oxide ..... 9-29, 15-25  
 Magnus effect ..... 3-30, 17-35  
 management, safety (see safety management)  
 manganese ..... 9-29, 15-25  
 dioxide ..... 9-29, 15-25  
 manufacturing safety (see safety, manufacturing)  
 MAPO (see tris (1-methylaziridinyl) phosphine oxide)  
 maroon (see salute)  
 match, electric (see electric match)  
 matrix rack (see mortar rack)  
 mercury content ..... 11-11  
 metal fuel (see fuel, metal)  
 metal hydroxide  
 dissociation energy ..... 13-1  
 metastable intermolecular composite (MIC) ..... 17-65  
 meteor fireworks, artificial (see artificial meteor fireworks)  
 MIC (see metastable intermolecular composite)  
 micro encapsulation (see encapsulation, micro)  
 microscopy, scanning electron (SEM)  
 particle morphology ..... 11-46, 12-5, 13-40  
 reaction residue ..... 13-40  
 strobe star ..... 4-1  
 missile, ballistic (see ballistic missile)  
 model,  
 hot liquid (see hot liquid model)  
 , Thomas (see Thomas model)  
 modeling, thermodynamic (see thermodynamic modeling)  
 molecular orbital theory .... 19-1, 19-32  
 mono-  
 propellant (see rocket propellant, mono)  
 saccharide (see saccharide, various)  
 morphology, particle (see microscopy, scanning electron, particle morphology)  
 mortar (also see mortar rack)  
 clearance ..... 13-31, 14-72  
 , concussion (see concussion mortar)  
 explosion. 8-43, 9-21, 10-37, 14-56  
 fragment  
 computer modeling ..... 9-21  
 hazard mitigation ..... 10-37  
 velocity ..... 8-43, 9-21

mortar (continued)  
 length ..... 11-70  
   effect on drift ..... 3-30  
 modeling ..... 16-37  
 placement ..... 3-22  
 , plastic ..... 20-51  
 , polyethylene ..... 20-51  
 , seamed ..... 1-6  
 service life ..... 20-51  
 , steel ..... 1-6, 8-43, 9-21, 10-37  
 strength ..... 20-71  
 testing ..... 20-51  
 mortar rack  
   dense pack design ..... 2-6  
   finale design ..... 2-6  
 motor (see rocket motor)  
 Munroe effect ..... 19-14  
 music, whistle, production of  
   (see whistle, pyrotechnic, music  
   production)  
 muzzle velocity ..... 10-56, 16-37

————— **N** —————

nano-  
 aluminum (see aluminum , nano-)  
 material ..... 19-19  
 particle ..... 19-19  
 scale composite ..... 17-65  
 naphthalene ..... 9-1  
 NASA Lewis code ..... 7-74  
 n-butyl ferrocene ..... 11-25  
 NC (see nitrocellulose)  
 neodymium ..... 13-1  
 NG (see nitroglycerine)  
 nitrate ester ..... 11-25  
 nitro-  
   cellulose (NC) ..... 11-25, 16-53  
   diglycol ..... 16-53  
   glycerine (NG) ..... 11-25, 16-53  
   guanidine (NQ) ..... 11-25  
 nitrogen ..... 9-29, 15-25  
   , high (see high nitrogen)  
 nitrous oxide ..... 5-47, 9-29, 15-25  
 no-fire current (see current, no-fire)  
 noise filtering ..... 14-40  
 nomenclature, chemical (see chemical  
 nomenclature)  
 nozzle expansion ratio (see rocket  
 motor nozzle expansion ratio)  
 NQ (see nitroguanidine)

————— **O** —————

oligosaccharide ..... 8-1  
 opacifier (see propellant opacifier)  
 organic fuel (see fuel, organic)  
 output testing (see testing, output)  
 overpressure ..... 1-26, 2-6, 12-16, 15-1  
 oxamide (OXM) ..... 11-25  
 oxidation (see chemical oxidation)  
 oxidizer ..... 11-25  
 OXM (see oxamide)  
 oxygen ..... 9-29, 15-25  
   atomic oxygen ..... 9-29, 15-25  
   exchange ..... 7-15

————— **P** —————

paraffin ..... 9-1  
 paraquinone dioxime (PQD) ..... 11-25  
 particle  
   morphology ..... 11-46, 12-5  
   , nano-(see nano-particle)  
   size ..... 18-63, 19-19  
 passivation ..... 19-19  
 periodic table (see chemical periodic  
 table)  
 phosphorus ..... 9-29, 15-25  
   (V) oxide ..... 9-29, 15-25  
   , red ..... 13-54  
 photoflash (see flash, photo-)  
 phthalic acid ..... 6-65  
 pitch ..... 9-1  
 plasticizer (see rocket propellant  
 plasticizer)  
 plume (see rocket plume)  
 pollution, air (see air pollution)  
 poly-  
   butadiene ..... 11-25  
   carboxy-terminated (CTPB)  
   ..... 11-25  
   hydroxyl-terminated (HTPB)  
   ..... 3-35, 8-19, 11-25, 19-37  
   ester ..... 11-25, 11-65  
   ethylene ..... 11-25  
   saccharide ..... 8-1  
   sulfide (PS) ..... 11-25  
   tetrafluoroethylene (PTFE/Teflon)  
   ..... 10-45  
   urethane (PU) ..... 11-25  
   vinyl chloride (PVC) ..... 9-1, 11-25  
   vinylidene chloride ..... 9-1  
 powder  
   , Black (see Black Powder)  
   , concussion (see concussion  
   powder)  
   , flash (see flash powder)  
   , lift (see lift powder)  
   Yellow (see Yellow powder)  
 potassium ..... 9-29, 15-25  
 chlorate (also see chlorate / sulfur)  
   ... 5-25, 6-30, 7-51, 9-29, 11-16,  
   ..... 11-72, 12-43, 15-25, 18-53  
 chloride ..... 9-29, 15-25  
 dichromate ..... 9-29, 13-61, 15-25  
 nitrate ..... 9-29, 12-5, 15-25  
 oxide ..... 9-29, 15-25  
 perchlorate ..... 9-29, 15-25  
 permanganate ..... 9-29, 15-25  
 sulfide ..... 9-29, 15-25  
 PQD (see paraquinone dioxime)  
 praseodymium ..... 13-1  
 pressure  
   , blast (see blast pressure)  
   , chamber (see rocket motor  
   chamber pressure)  
   , impulse (see impulse pressure)  
   , internal  
   , concussion mortar  
   (see concussion mortar  
   internal pressure)

pressure  
   , internal  
   , fireworks shell (see fireworks  
   shell internal pressure)  
   , over- (see overpressure)  
   , sound (see sound pressure)  
 propagation  
   model ..... 6-17  
   rate ..... 20-55  
 propellant (also see rocket propellant  
 and Black Powder)  
   , chemistry (see rocket propellant  
   chemistry)  
   degradation ..... 16-53  
   epoxy (see rocket propellant,  
   epoxy)  
   evaluation (see rocket propellant  
   evaluation)  
   , mono-  
   (see rocket propellant, mono)  
   opacifier (see rocket propellant  
   opacifier)  
   , single-base ..... 16-53  
 PROPEP ..... 1-11, 7-74  
 propulsion theory (see rocket motor  
 propulsion theory)  
 proximate pyrotechnics (also see  
 concussion mortar; concussion  
 powder)  
   fog ..... 7-73  
   health effects ..... 3-14  
   , low smoke colored flame  
   (see flame, low smoke)  
 PS (see polysulfide)  
 PTFE (see polytetrafluoroethylene)  
 PU (see polyurethane)  
 PVC (see polyvinyl chloride)  
 pyrogen ..... 19-66  
 pyrolant ..... 10-45  
 pyrotechnic reaction residue  
   (see reaction residue, pyrotechnic)  
 pyrotechnics  
   , low smoke ..... 7-11, 9-68, 10-17

————— **Q** —————

qualitative analysis (see chemical  
 analysis, qualitative)  
 quality factor ..... 19-61  
 quickness  
   test, Black Powder ..... 9-51  
   tester, Eprovette ..... 9-51

————— **R** —————

radiation, thermal (see thermal radiation)  
 radiative transfer ..... 19-53  
 radiometer, IR ..... 12-57  
 radium ..... 13-1  
 rate of propagation (see propagation  
 rate)  
   , regression (see regression rate)  
 ratio, nozzle expansion (see rocket  
 motor nozzle expansion ratio)  
 ratio, specific heat (see specific heat  
 ratio)  
 RDX (see cyclotrimethylene  
 trinitramine)

reaction  
 , Goldschmidt (see Goldschmidt reaction)  
 , heat of (see enthalpy of reaction)  
 residue, pyrotechnic ..... 13-40  
 reactivity (see chemical reactivity)  
 recoil force (see concussion mortar, recoil force)  
 red flame (see flame, red)  
 red phosphorous (see phosphorous, red)  
 reduction (see chemical reduction)  
 regression rate ..... 19-37  
 resin, acaroid (see acaroid resin)  
 resistance, circuit (see circuit resistance)  
 review of  
*Amateur Rocket Motor Construction* ..... 20-73  
*Big Bang, A History of Explosives* ..... 14-74  
*Black Powder Manufacture Methods and Technique* ..... 7-76  
*Black Powder Manufacturing, Testing and Optimizing* ..... 18-74  
*Chemistry of Explosives, The* ..... 10-69, 10-71  
*Chemistry of Fireworks, The* ..... 12-69, 12-71  
*Experimental Composite Propellants An Introduction to Properties and Preparation of Composite Propellant Design, Construction, Testing and Characteristics of Small Rocket Motors* ..... 12-68  
*Explosives* ..... 16-77  
*Fire Protective Clothing, A Guide for Those Who Manufacture or Store Pyrotechnics or Propellants* ..... 9-67  
*Fireworks Principles and Practice* ..... 10-61  
*Hearing Protection A Guide for Those Who Manufacture, Test, or Use Explosives* ..... 10-68  
*Ignition Handbook* ..... 19-74  
*Incendiary Art: The Representation of Fireworks in Early Modern Europe* ..... 14-76  
*Introduction to the Technology of Explosives* ..... 9-67  
*Introductory Practical Pyrotechnics* ..... 6-72  
*Lectures Notes for Pyrotechnic Chemistry* ..... 6-72  
*Pollution Caused by Fireworks* ..... 8-72, 8-74  
*Propellants and Explosives: Thermochemical Aspects of Combustion* ..... 16-78  
*Proximate Special Effects Familiarization and Safety* ..... 17-80  
*Pyrotechnics* ..... 18-67, 18-68, 18-69, 19-73  
*Rocket Propulsion Elements* ..... 20-74

review of (continued)  
*Selected Pyrotechnic Publications of Dr. Takeo Shimizu, Part 3: Studies on Fireworks Colored-Flame Compositions* ..... 10-65  
*Theater of Fire* ..... 9-65  
 rheometry (rheology) ..... 12-52  
 risk  
 assessment ..... 18-32  
 profile (see hazard analysis)  
 rocket motor (also see rocket plume and rocket propellant)  
 acoustic emissions ..... 13-35  
 , Black Powder ..... 5-1  
 casing strength ..... 20-71  
 chamber pressure ..... 3-35, 5-1, 6-9  
 , composite ..... 3-35, 11-25  
 design ..... 5-1  
 diagnostics ..... 11-1, 12-57, 14-50  
 flight dynamics ..... 20-27  
 fuel ..... 19-37  
 grain geometry ..... 3-35  
 , hybrid ..... 5-47, 11-1, 13-35, 14-50, 16-71  
 nozzle ..... 20-27  
 expansion ratio ..... 3-35, 6-9  
 optical emissions ..... 13-35  
 propellant  
 combustion ..... 20-27  
 evaluation ..... 1-11, 7-74  
 propulsion theory ..... 5-1, 6-9  
 test facility ..... 11-1  
 testing, static ..... 11-1, 14-50, 19-37  
 thrust ..... 6-9, 20-1  
 coefficient ..... 6-9  
 measurement ..... 7-33  
 neutral ..... 20-1  
 profile ..... 20-1  
 sensor ..... 14-50  
 two-stage ..... 20-1  
 rocket plume ..... 11-1, 12-57  
 diagnostics ..... 13-35  
 exhaust ..... 13-35  
 spectroscopy ..... 11-1, 12-57  
 rocket propellant (also see rocket motor)  
 chemistry ..... 11-25  
 , composite ..... 3-35, 6-36, 7-33, 8-19, 11-25  
 , epoxy ..... 7-33  
 evaluation ..... 1-11, 7-74  
 grain geometry ..... 3-35  
 , mono ..... 6-35  
 opacifier ..... 11-25  
 plasticizer ..... 11-25  
 sensitiveness data ..... 7-59  
 , silicone ..... 8-31  
 stabilizer ..... 11-25, 15-25  
 , whistle ..... 7-59  
 rocket, strobe (see strobe rocket)  
 rosin ..... 8-1  
 ————— S —————  
 saccharide, various ..... 8-1  
 safety  
 accidental ignition (see accidental ignition)

safety (continued)  
 analysis ..... 4-15, 5-11, 12-16  
 distance ..... 19-43  
 management ..... 16-27  
 , manufacturing 4-15, 5-11, 16-27  
 , mortar explosion (see mortar explosion)  
 , stage pyrotechnic (see proximate pyrotechnics health effects)  
 salute ..... 15-1, 16-1  
 blast pressure (see blast pressure, salute)  
 , fuel-air ..... 4-25  
 sound pressure (see sound pressure, fuel-air salute)  
 in-mortar explosions (see mortar explosion)  
 weak confinement ..... 4-5  
 samarium ..... 13-1  
 sandbag ..... 10-37  
 scandium ..... 13-1  
 scanning electron microscopy, (see microscopy, scanning electron)  
 SCB (see semiconductor bridge igniter)  
 SDT (see simultaneous differential thermal analysis)  
 seamed mortar (see mortar, seamed)  
 self heating ..... 18-53  
 SEM, (see microscopy, scanning electron)  
 semiconductor bridge igniter (SCB) ..... 2-1  
 sensitiveness  
 , bullet ..... 2-36  
 data (see rocket propellant sensitiveness data)  
 , electric match ..... 17-65  
 , friction ..... 7-51  
 terminology ..... 7-65  
 test methods ..... 4-15, 6-57  
 , testing  
 electrostatic discharge 3-1, 6-57  
 , thermal ..... 7-51, 11-16, 12-43  
 sensitivity ..... 7-65  
 (also see sensitiveness)  
 shaped charge ..... 19-14  
 shell  
 detonation (see fireworks shell detonation)  
 , fireworks (see fireworks shell)  
 shellac ..... 9-1  
 silica ..... 5-8  
 silicon ..... 9-29  
 dioxide ..... 9-29, 15-25  
 silicone (also see rocket propellant, silicone)  
 binder (see binder, silicone)  
 fuel (see fuel, silicone)  
 simultaneous differential thermal analysis ..... 14-15  
 single-base propellant (see propellant, single-base)  
 smoke ..... 13-54  
 composition ..... 18-23

smoke (continued)  
 dye ..... 18-23  
 health effects (see proximate fireworks health effects)  
 , low  
 , colored flame (see flame, colored, low smoke)  
 , flash (see flash, photo-, low smoke)  
 , pyrotechnics (see pyrotechnics, low smoke)  
 ring ..... 17-53  
 sodium ..... 9-29, 15-25  
 benzoate ..... 9-1  
 bicarbonate ..... 9-29, 15-25  
 carbonate ..... 9-29, 15-25  
 chlorate ..... 9-29, 15-25  
 chloride ..... 9-29, 15-25  
 nitrate ..... 9-29, 11-25, 15-25, 19-53  
 oxalate ..... 9-29, 15-25  
 oxide ..... 9-29, 15-25  
 perchlorate ..... 9-29, 15-25  
 salicylate ..... 9-1  
 sound pressure ..... 1-26, 4-5, 4-25, 4-37, 5-33, 15-1  
 , concussion mortar ..... 1-26, 5-33  
 , flash powder ..... 4-5  
 , fuel-air salute ..... 4-25  
 , whistle ..... 4-37, 17-19  
 sound toroid ..... 17-53  
 spark  
 , colored ..... 9-57  
 effect ..... 20-23  
 formulation ..... 20-23  
 special effect ..... 19-14  
 specific heat ratio ..... 6-9  
 specific impulse ..... 3-35, 5-1  
 spectra, flame (see flame spectra)  
 spectrometer, video ..... 7-37  
 spectroscopy ..... 7-37  
 , absorption ..... 16-71  
 , rocket plume (see rocket plume spectroscopy)  
 , X-ray (see X-ray analysis)  
 spontaneous ignition ..... 2-22, 6-17  
 stability, chemical (see chemical stability)  
 stabilizer (see rocket propellant stabilizer)  
 stage pyrotechnics (see proximate pyrotechnics)  
 star  
 acceleration ..... 10-1  
 , blue ..... 17-1  
 , colored ..... 7-11, 8-19, 17-1  
 , composite ..... 8-19  
 , green ..... 17-1  
 , red ..... 17-1  
 spectra ..... 17-1  
 , strobe (see strobe)  
 starch ..... 8-1  
 stearin ..... 9-1  
 steel mortar (see mortar, steel)  
 stoichiometry ..... 1-19  
 strain gauge ..... 14-50

strobe  
 chemistry ..... 20-7  
 flare ..... 6-68  
 formulation ..... 20-7  
 frequency stabilization ..... 6-68  
 reaction ..... 6-68  
 rocket ..... 8-31  
 smolder reaction ..... 8-31  
 star model ..... 4-1  
 theory ..... 4-1  
 strontium ..... 9-29, 15-25  
 carbonate ..... 9-29, 15-25  
 chloride ..... 9-29, 15-25  
 chromate ..... 13-61  
 monochloride ..... 18-1, 19-1  
 monohydroxide ..... 18-1  
 nitrate ..... 9-29, 15-25  
 oxalate ..... 9-29, 15-25  
 oxide ..... 9-29, 15-25  
 storage  
 , explosives (see explosives storage)  
 , fireworks (see fireworks storage)  
 sucrose ..... 8-1  
 sugar ..... 8-1  
 sulfur ..... 9-29, 15-25  
 acidity ..... 7-51  
 / chlorate (see chlorate / sulfur)  
 dioxide ..... 9-29, 15-25  
 trioxide ..... 9-29, 15-25  
 suppressant, combustion (see combustion suppressant)  
 suppressant instability ..... 11-25  
 ————— **T** —————  
 TA (see triacetin)  
 TAGN (see triamino guanidine nitrate)  
 TDI (see toluene-2,4-diisocyanate)  
 Teflon (see polytetrafluoroethylene)  
 TEGDN (see triethyleneglycol dinitrate)  
 temperature  
 , flame (see flame temperature)  
 , ignition (see ignition temperature)  
 terephthalic acid ..... 6-65  
 test  
 burn  
 , consumer fireworks stand (see consumer fireworks stand test burn)  
 , ISO container ..... 16-59  
 , fireworks storage ..... 16-59  
 , cook-off (see cook-off test)  
 equipment  
 , electrostatic discharge (ESD) (see electrostatic discharge test equipment)  
 , electro-magnetic compatibility (see electro-magnetic compatibility test)  
 , explosion (see explosion test)  
 facility (see rocket motor test facility)  
 fireworks storage  
 , HERO (see hazard of electromagnetic radiation to ordinance test)

test (continued)  
 methods, sensitiveness (see sensitiveness test methods)  
 , quickness (see quickness test)  
 tester, quickness (see quickness tester)  
 testing  
 , detonability ..... 2-36  
 , electrostatic discharge (see electrostatic discharge testing)  
 , output ..... 14-45  
 , static (see rocket motor testing, static)  
 TG (see thermo-gravimetry)  
 theatrical (see proximate pyrotechnics)  
 theory  
 , glitter (see glitter theory)  
 , ignition (see ignition theory)  
 , molecular orbital (see molecular orbital theory)  
 thermal  
 analysis ..... 14-15, 18-23, 18-63  
 energy distribution ..... 6-70  
 radiation hazard ..... 6-1  
 run-away ..... 6-17  
 sensitiveness (see sensitiveness, thermal)  
 stability ..... 7-51, 11-16, 11-72, 12-43, 18-53  
 thermate ..... 13-9  
 thermite ..... 13-9, 17-65  
 thermo-  
 chemical equilibrium ..... 12-16  
 chemistry ..... 9-29  
 dynamic(s) ..... 1-11, 1-37, 7-74, 9-29, 12-31, 15-25  
 modeling ..... 7-74, 16-5, 16-37  
 gravimetry (TG) ..... 14-15, 18-23  
 Thomas model ..... 18-53  
 threshold limit value (TLV) ..... 13-61  
 thrust (see rocket motor thrust)  
 titanium ..... 9-29, 15-25  
 carbon (see carbon / titanium)  
 dioxide ..... 9-29, 15-25  
 TLV (see threshold limit value)  
 TNETN (see trimethylolethane trinitrate)  
 TNT equivalency ..... 12-16, 15-1  
 toluene-2,4-diisocyanate (TDI) ..... 11-25  
 toroid ..... 17-53  
 toxicity  
 , chromium ..... 13-61  
 , stage pyrotechnics (see proximate pyrotechnics health effects)  
 tracer composition ..... 11-65  
 tragacanth (see gum tragacanth)  
 tri-  
 aminoguanidine nitrate (TAGN) ..... 11-25  
 ethanolamine ..... 11-25  
 ethyleneglycol dinitrate (TEGDN) ..... 11-25  
 methylolethane trinitrate (TNETN) ..... 11-25  
 triacetin (TA) ..... 11-25

